

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S243	50	tib with (rendevous or rendezvous or rendezous)	USPAT	OR	OFF	2009/02/27 12:21
S245	0	S244 not S243	USPAT	OR	OFF	2009/02/27 12:22
S244	4	tib with (rendevous or rendezvouz or rendezous)	USPAT	OR	OFF	2009/02/27 12:22
S247	45	S246 and (@ad<"20001214" or @rlad<"20001214")	USPAT	OR	OFF	2009/02/27 16:15
S246	50	tib with (rendevous or rendezvous or rendezous)	USPAT	OR	OFF	2009/02/27 16:15
S251	9	tib with (rendevous or rendezvous or rendezous) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB	OR	OFF	2009/02/27 16:19
S250	20	tib with (rendevous or rendezvous or rendezous)	US-PGPUB	OR	OFF	2009/02/27 16:19
S249	0	S246 and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB	OR	OFF	2009/02/27 16:19
S248	0	mccormick.in. and tib	USPAT	OR	OFF	2009/02/27 16:19
S253	15	tibco with (rendevous or rendezvous or rendezous) and (@ad<"20001214" or @rlad<"20001214") not (S247 or S251)	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:26
S252	45	tibco with (rendevous or rendezvous or rendezous) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:26
S255	37	tib\$4 with (rendevous or rendezvous or rendezous) and (@ad<"20001214" or @rlad<"20001214") and (format\$4 re\$1format\$4) same (mail\$4 e\$1mail\$4)	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:28
S254	54	tib\$4 with (rendevous or rendezvous or rendezous) and (@ad<"20001214" or @rlad<"20001214") and (format\$4 re\$1format\$4)	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:28

S258	0	tib\$4 with (rendevous or rendezvous or rendezous) same5 (format\$4 re\$1format \$4 convert\$4) same (mail\$4 e\$1mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:29
S257	0	tib\$4 with (rendevous or rendezvous or rendezous) same5 (format\$4 re\$1format \$4) same (mail\$4 e\$1mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:29
S256	0	tib\$4 with (rendevous or rendezvous or rendezous) same2 (format\$4 re\$1format \$4) same (mail\$4 e\$1mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:29
S260	37	tib\$4 with (rendevous or rendezvous or rendezous) and (@ad<"20001214" or @rlad<"20001214") and (format\$4 re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4)	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:30
S259	0	tib\$4 with (rendevous or rendezvous or rendezous) same5 (format\$4 re\$1format \$4 re adj format\$4 convert \$4) same (mail\$4 e\$1mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:30
S261	15	tib\$4 with (rendevous or rendezvous or rendezous) same5 (format\$4 re\$1format \$4 re adj format\$4 convert \$4) same (mail\$4 e\$1mail\$4 messag\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:31
S262	16	(mq with integrat\$5 or tib\$4 with (rendevous or rendezvous or rendezous)) same5 (format\$4 re\$1format \$4 re adj format\$4 convert \$4) same (mail\$4 e\$1mail\$4 messag\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:34

S263	78	(mq or tib\$4 with (rendevous or rendezvous or rendezous)) same5 (format\$4 re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 messag\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:35
S264	7	(mq or tib\$4 with (rendevous or rendezvous or rendezous)) same5 (format\$4 re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:58
S265	1	(mq or tib\$4 with (rendevous or rendezvous or rendezous)) same5 (format\$4 re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:59
S268	85	(middleware\$1 or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (format\$4 re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:07
S267	19	(middleware\$1 or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (format\$4 re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:07

S266	19	(middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (format\$4 re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:07
S270	28	(middleware\$1 or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re \$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e \$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not S266	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:08
S269	37	(middleware\$1 or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re \$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e \$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:08
S271	9	(middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re \$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e \$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:47

S273	28	(middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re \$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e \$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not S271 not S272	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:49
S272	10	(middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 ( format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not S271	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:49
S274	10	(alcatel or middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 ( format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not S271	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:57
L4	20	(alcatel or coldfusion or webshare or middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not L1 not L2	US-PGPUB; USPAT	OR	OFF	2009/02/28 14:38

L3	0	(middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re \$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e \$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not L1 not L2	US-PGPUB; USPAT	OR	OFF	2009/02/28 14:38
L2	10	(middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 ( format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not L1	US-PGPUB; USPAT	OR	OFF	2009/02/28 14:38
L1	9	(middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re \$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e \$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/28 14:38
L6	58	(alcatel or coldfusion or webshare or middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/28 14:42

L5	29	(alcatel or coldfusion or webshare or middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and without with (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214")	US-PGPUB; USPAT	OR	OFF	2009/02/28 14:42
L7	29	(alcatel or coldfusion or webshare or middleware or pvm or pipes or xipc or msmq or mq or beq or biz or tibco or tibnet or tibcos or tib\$4 with (rendevous or rendezvous or rendezous or rv)) same5 (re\$1format\$4 re adj format\$4 convert\$4) same (mail\$4 e\$1mail\$4 e adj mail\$4) and (@ad<"20001214" or @rlad<"20001214") not l5	US-PGPUB; USPAT	OR	OFF	2009/02/28 14:43

2/ 28/ 09 3:30:08 PM

C:\ Documents and Settings\ AGold\ My Documents\ EAST\ Workspaces\ 09735891.wsp